

SPOGGLE PROTECTIVE EYEWEAR DV-326B-C-AF (CLEAR) & DV-326B-G-AF (GREY)







DV-326B-G-AF













# Description

Dromex® SPOGGLE, dual purpose spectacle and goggle all in one. Features a polycarbonate mono lens and detachable prescription lens inner. Designed to protect the users eyes from flying debris and light chemical splash during work activities. Suitable in the construction, mining, milling, engineering workshops, factories, warehouse and general industries.

The spoggle lens frame is forehead contoured with a rubber face seal and features a unique contra-flow indirect vent system in the upper and lower frame. The lens offers clear front and side protection without compromising on clarity and is anti-scratch and anti-fog coated.

In spectacle mode the Spoggle has a 3-point adjustable temple, with 3-point lateral positions, ensures a firm and comfortable fit. In goggle mode the Spoggle has a 13mm elasticated and adjustable head band.

Designed for compatibility with other PPE, such as industrial hats, hearing protective devices and respiratory protective half mask devices. The spoggle is easy to put on with gloves and is lightweight.

## **Special Instructions**

- Failure to Adhere to all instructions and precautionary measures can result in injury.
- If the user has eye conditions or vision impairment, they must consult with a registered physician prior to use.
- Any damages to this protective device may reduce clarity of sight that could result in injury.

- Following any major detectible defects on the spoggle, the spoggle should be replaced.
- This spoggle is not intended for furnace or welding use.
- This spoggle is suitable for use to the lowest marking on the lens (ocular) and frame.
- If the lens becomes damaged the spoggle should be replaced.
- The spoggle is designed to be used with other PPE equipment.
- Although the manufacturer has examined this eyewear under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all eyewear should be thoroughly inspected before use to ensure no damage is present.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, so it is therefore the responsibility of the user and not the manufacturer or supplier to determine the suitability for intended use.

## Compliance & Conformity

Approved to

- DIN EN 166:2002-04
- DIN EN 170:2003-01
- DIN EN 172:2002-02
- ISO 16321-1:2021

## **Specifications**

Style: Indirect vented dual-purpose spectacle and

goggle all in one with removable prescription lens insert, adjustable detachable temples and

detachable headband

Lens: DV-326B-C-AF Clear Polycarbonate anti-scratch

and anti-fog coated with a UV filter

(2C-1.2 or 2-1.2)

Grey Polycarbonate anti-scratch and anti-fog

coated with a Sun glare filter(2C-1.2 or 2-1.2)

Prescrition Insert: Polycarbonate

Frame: Polycarbonate frame and temples,

with soft rubber face seal

Refractive Power:  $\pm 0.06 D$ Astigmatism: 0.06 D

Optical class:  $1 - \pm 0,06$  DIOPTRES for permanent wear

Lateral vision: 180 degrees
Minimum Velocity particles: Class F, 45 m/s

Mass:  $\pm 40q$  (with temples),  $\pm 42q$  (with head band)

### Packaging, Storage & Obsolescence

Packed as 12 individually wrapped spoggle in a box and 25 boxes per carton (300 spectacles per carton). Store in a cool dry place.









7 300 per carton

## **Inspection Frequency and Details**

Prior to use the spectacles should be free of any potential contaminants that can affect its intended performance.

This spectacle should be inspected by the user at the end of every use and then again prior to each use.

Cracked eyewear must be removed from service as they will reduce eye protection and obstruct vision.

## Cleaning & Maintenance

Designed as re-usable protective eyewear. After use clean with a mild cleaning liquid, carefully rinse off all traces of the cleaning liquid and dry with a soft cloth and gently wipe with a soft spectacle cleaning material.

Do not clean on clothing nor use abrasive cleaners.

#### Limitations of Use

This spoggle should not be used for any athletic game, recreational activities, paintball or simulated water activities. The spoggle alone shall not apply to protection for terrorism incidents from chemical, biological, radiological, and nuclear (CBRN) agents.

#### **Recommendations and Restrictions**

The use of this spoggle is restricted to the scope and application as intended by EN 166:2001.

#### **Shelf Life**

The duration of the spoggle cannot be determined by a timeline as its intended for normal day to day use.

Ensure proper care and maintenance (inspection and cleaning) is adhered to. Under normal circumstances the spoggle should offer adequate protection for 3 years.

## Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Safety eyewear should be disposed of considering the hazardous substances they were used for or could be contaminated with. Please consider recycling.

### Materials



- 1. Polycarbonate uni-lens (326BC Clear & 326BG Grey).
- 2. Black polycarbonate frame.
- 3. Red rubber dust seal.
- 4. Clear R prescription lens insert.
- 5. Black point adjustable temple (CEDVEN166-F).
- . Black elasticated 13mm head band.

# Marking

 Item
 Temple
 Ocular/(s)

 DV-326B-C-AF(Clear)
 CEDVEN166-F
 DV2-1.2 1FN

 DV-326B-G-AF (Grey)
 EN166-F-CE
 DV5-2.5FN

Dromex: 30 Umganu Road, Flanders, Blackburn Cornubia Ridge Logistics Park, Kwazulu-Natal, 4319, South Africa T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za

Disclaimer

Latest update: 16/04/2024

Dromes: reserves the right to make changes without further notice to any products herein to improve function, design or reliability and usibility. Decrease does not account of the application governor for products the right of the product of products and the reserves of the product of the product